



Vancouver Film Studios

Certified




Corporation

Building J houses three sound stages: Stage J1 and Stage J2 are 15,000 sq. ft. each, and Stage J3 is 18,000 sq. ft. All buildings on the Vancouver Film Studios lot are equipped with 24-hour security.



STAGE J1

SQUARE FEET	15,000
DIMENSIONS	100' x 150'
HEIGHT	40'
SOUND	Building acoustically designed with tilt up concrete walls Acoustical insulation on walls and ceiling 16' x 16' sound door
POWER	3200 amps 120/208v 40 watts per sq. ft. 3 phase power services from two locations, each with four 400 amp camlocks Director control plugs throughout stage
AIR	Heating and fresh air exchange Mechanical atmospheric smoke exhaust Ceiling fans
STRUCTURE	Wooden catwalk system Truss system for rigging and lights Truss load of 40 lbs/squ. ft. (average), max point load of 3,500 lbs. per truss Clearspan 16' x 16' overhead door





Vancouver Film Studios

Certified




Corporation

Building J houses three sound stages: Stage J1 and Stage J2 are 15,000 sq. ft each, and Stage J3 is 18,000 sq. ft. All buildings on the Vancouver Film Studios lot are equipped with 24-hour security.



STAGE J2

SQUARE FEET	15,000
DIMENSIONS	100' x 150'
HEIGHT	40'
SOUND	Building acoustically designed with tilt up concrete walls Acoustical insulation on walls and ceiling 16' x 16' sound door
POWER	3200 amps 120/208v 40 watts per sq. ft. 3 phase power services from two locations, each with four 400 amp camlocks Director control plugs throughout stage
AIR	Heating and fresh air exchange Mechanical atmospheric smoke exhaust Ceiling fans
STRUCTURE	Wooden catwalk system Truss system for rigging and lights Truss load of 40 lbs/squ. ft. (average), max point load of 3,500 lbs. per truss Clearspan 16' x 16' overhead door





Vancouver Film Studios

Certified



Corporation

Building J houses three sound stages: Stage J1 and Stage J2 are 15,000 sq. ft each, and Stage J3 is 18,000 sq. ft. All buildings on the Vancouver Film Studios lot are equipped with 24-hour security.



STAGE J3

SQUARE FEET	18,000
DIMENSIONS	120' x 150'
HEIGHT	40'
SOUND	Building acoustically designed with tilt up concrete walls Acoustical insulation on walls and ceiling 16' x 16' sound door
POWER	3200 amps 120/208v 40 watts per sq. ft. 3 phase power services from two locations, each with four 400 amp camlocks Director control plugs throughout stage
AIR	Heating and fresh air exchange Mechanical atmospheric smoke exhaust Ceiling fans
STRUCTURE	Wooden catwalk system Truss system for rigging and lights Truss load of 40 lbs/squ. ft. (average), max point load of 3,500 lbs. per truss Clearspan 16' x 16' overhead door

